

Cubbi Single Booth 800 work surface

Environmental Product Data




Product Code: SCEIA1 (left-handed - pictured), SCEIA4 (right-handed)


Description: Single acoustic booth with 800mm MFC work surface

Dimensions

Height	1,443mm
Width	1,600mm
Depth	900mm



Recycled
Content



Recyclable
Content



Carbon Footprint
In Kg CO₂e

Materials	Weight		Footprint		Calorific Value	
	Kg	%	Kg CO ₂ e	%	MJ	%
Wood	84.5	67%	38.0	19%	879	27%
Metal	29.0	23%	110.3	56%	2,082	64%
Foam	4.0	3%	13.6	7%	112	3%
Fabric (incl scrap)	8.6	7%	32.0	16%	138	4%
Card	0.0	0%	0.0	0%	0	0%
Glass	0.0	0%	0.0	0%	0	0%
Plastic	0.6	0%	2.5	1%	26	1%
Product Total	126.7	100%	196.4	100%	3,237	99%
+ Connection Manufacturing			0.4	0%	26	1%
Total			196.8	100%	3,263	100%

FISP (Company Certification)	✓
WELL Product Features Met	SO1 & XI0
VOCFree	✓

Statements:

- Connection considers the environment throughout the lifecycle of our products; from the initial design & development through to product end of life.
- This is achieved with the help of certification to ISO14001, FSC®, PEFC and FISP.
- All material datasheets for product materials and manufacturing processes have had their CAS (Chemical Abstracts Service) codes checked against both the European Chemicals Agency and US International Living Building Institute 'red lists' to confirm that all Connection products do not contain VOC's which are of very high concern; or, not to be used in offices.
- Connection manufacturing* is the transport, utilities and waste/packaging - allocated by production unit.
- Connection manufacturing^ is offset by Gold Standard credits, via Forest Carbon.
- Calorific values are calculated by our waste providers energy statistics.
- Carbon footprints are based on FIRA's Footprinter tool.

Cubbi Side-By-Side Double Booth

Environmental Product Data




Product Code: SCE1A2


Description: Side-by-side double acoustic booth with 800mm MFC work surface

Dimensions

Height	1,443mm
Width	1,600mm
Depth	1,700mm



Recycled
Content



Recyclable
Content



Carbon Footprint
In Kg CO₂e

Materials	Weight		Footprint		Calorific Value	
	Kg	%	Kg CO ₂ e	%	MJ	%
Wood	134.0	66%	60.2	20%	1,394	28%
Metal	46.0	23%	162.3	53%	3,075	61%
Foam	6.0	3%	20.3	7%	168	3%
Fabric (incl scrap)	13.2	7%	49.3	16%	213	4%
Card	0.0	0%	0.0	0%	0	0%
Glass	0.0	0%	0.0	0%	0	0%
Plastic	2.8	1%	10.6	3%	111	2%
Product Total	202.0	100%	302.7	100%	4,961	99%
+ Connection Manufacturing			0.7	0%	48	1%
Total			303.4	100%	5,009	100%


FISP (Company Certification)	✓
WELL Product Features Met	SO1 & XI0
VOCFree	✓

Statements:

- Connection considers the environment throughout the lifecycle of our products; from the initial design & development through to product end of life.
- This is achieved with the help of certification to ISO14001, FSC®, PEFC and FISP.
- All material datasheets for product materials and manufacturing processes have had their CAS (Chemical Abstracts Service) codes checked against both the European Chemicals Agency and US International Living Building Institute 'red lists' to confirm that all Connection products do not contain VOC's which are of very high concern; or; not to be used in offices.
- Connection manufacturing* is the transport, utilities and waste/packaging - allocated by production unit.
- Connection manufacturing^ is offset by Gold Standard credits, via Forest Carbon.
- Calorific values are calculated by our waste providers energy statistics.
- Carbon footprints are based on FIRA's Footprinter tool.

Cubbi Quad Booth 800 work surface

Environmental Product Data




Product Code: SCE1A5


Description: Quad acoustic booth with 800mm MFC work surface

Dimensions

Height	1,443mm
Width	3,200mm
Depth	1,700mm



Recycled
Content



Recyclable
Content



Carbon Footprint
In Kg CO₂e

Materials	Weight		Footprint		Calorific Value	
	Kg	%	Kg CO ₂ e	%	MJ	%
Wood	238.0	69%	107.0	23%	2,475	33%
Metal	68.5	20%	213.5	46%	4,072	54%
Foam	9.0	3%	30.5	7%	252	3%
Fabric (incl scrap)	22.2	6%	82.9	18%	358	5%
Card	0.0	0%	0.0	0%	0	0%
Glass	0.0	0%	0.0	0%	0	0%
Plastic	6.4	1%	23.2	4%	256	2%
Product Total	345.1	100%	462.3	100%	7,454	99%
+ Connection Manufacturing			11	0%	79	1%
Total			463.4	100%	7,533	100%

FISP (Company Certification)	✓
WELL Product Features Met	SO1 & XI0
VOCFree	✓

Statements:

- Connection considers the environment throughout the lifecycle of our products; from the initial design & development through to product end of life.
- This is achieved with the help of certification to ISO14001, FSC®, PEFC and FISP.
- All material datasheets for product materials and manufacturing processes have had their CAS (Chemical Abstracts Service) codes checked against both the European Chemicals Agency and US International Living Building Institute 'red lists' to confirm that all Connection products do not contain VOC's which are of very high concern; or; not to be used in offices.
- Connection manufacturing* is the transport, utilities and waste/packaging - allocated by production unit.
- Connection manufacturing^ is offset by Gold Standard credits, via Forest Carbon.
- Calorific values are calculated by our waste providers energy statistics.
- Carbon footprints are based on FIRA's Footprinter tool.

Cubbi Single Booth 1200 work surface


Environmental Product Data




Product Code: SCE2A1 (left-handed), SCE2A4 (right-handed- pictured)
Description: Single acoustic booth with 1,200mm MFC work surface

Dimensions

Height	1,443mm
Width	1,600mm
Depth	1,300mm



Recycled
Content



Recyclable
Content



Carbon Footprint
In Kg CO₂e

Materials	Weight		Footprint		Calorific Value	
	Kg	%	Kg CO ₂ e	%	MJ	%
Wood	120.0	70%	97.2	33%	2,352	43%
Metal	33.0	19%	132.3	45%	2,492	46%
Foam	5.1	3%	17.3	6%	143	3%
Fabric (incl scrap)	10.6	6%	39.4	13%	170	3%
Card	0.0	0%	0.0	0%	0	0%
Glass	0.0	0%	0.0	0%	0	0%
Plastic	1.6	1%	6.3	2%	66	1%
Product Total	170.3	100%	292.5	100%	5,223	96%
+ Connection Manufacturing			0.4	0%	238	4%
Total			292.9	100%	5,461	100%


FISP (Company Certification)	✓
WELL Product Features Met	SO1 & XI0
VOCFree	✓

Statements:

- Connection considers the environment throughout the lifecycle of our products; from the initial design & development through to product end of life.
- This is achieved with the help of certification to ISO14001, FSC®, PEFC and FISP.
- All material datasheets for product materials and manufacturing processes have had their CAS (Chemical Abstracts Service) codes checked against both the European Chemicals Agency and US International Living Building Institute 'red lists' to confirm that all Connection products do not contain VOC's which are of very high concern; or; not to be used in offices.
- Connection manufacturing* is the transport, utilities and waste/packaging - allocated by production unit.
- Connection manufacturing^ is offset by Gold Standard credits, via Forest Carbon.
- Calorific values are calculated by our waste providers energy statistics.
- Carbon footprints are based on FIRA's Footprinter tool.

Cubbi Quad Booth 1200 work surface

Environmental Product Data




Product Code: SCE2A5

Description: Quad acoustic booth with 1,200mm MFC work surface

Dimensions

Height	1,443mm
Width	3,200mm
Depth	2,500mm



Recycled
Content



Recyclable
Content



Carbon Footprint
In Kg CO₂e

Materials	Weight		Footprint		Calorific Value	
	Kg	%	Kg CO ₂ e	%	MJ	%
Wood	280.8	62%	161.2	25%	5,209	42%
Metal	83.1	18%	279.1	44%	5,302	43%
Foam	12.4	3%	41.9	7%	346	3%
Fabric (incl scrap)	21.0	5%	78.4	12%	339	3%
Card	46.0	10%	51.0	8%	753	6%
Glass	0.0	0%	0.0	0%	0	0%
Plastic	6.4	1%	23.2	4%	256	2%
Product Total	449.7	100%	634.8	100%	12,205	98%
+ Connection Manufacturing			0.9	0%	268	2%
Total			635.7	100%	12,473	100%

FISP (Company Certification)	✓
WELL Product Features Met	SO1 & XI0
VOCFree	✓

Statements:

- Connection considers the environment throughout the lifecycle of our products; from the initial design & development through to product end of life.
- This is achieved with the help of certification to ISO14001, FSC®, PEFC and FISP.
- All material datasheets for product materials and manufacturing processes have had their CAS (Chemical Abstracts Service) codes checked against both the European Chemicals Agency and US International Living Building Institute 'red lists' to confirm that all Connection products do not contain VOC's which are of very high concern; or; not to be used in offices.
- Connection manufacturing* is the transport, utilities and waste/packaging - allocated by production unit.
- Connection manufacturing^ is offset by Gold Standard credits, via Forest Carbon.
- Calorific values are calculated by our waste providers energy statistics.
- Carbon footprints are based on FIRA's Footprinter tool.